


WEST ELEVATION
A-1
3/16" = 1'



BACK ELEVATION
A-1
3/16" = 1'

CODE ANALYSIS:
2009 INTERNATIONAL BUILDING CODE
2006 INTERNATIONAL ENERGY CODE
2006 NFPA 101 LIFE SAFETY CODE,
MARYLAND ACCESSIBILITY CODE

USE GROUP: A-3
DESIGN LOADS: INTERNATIONAL BUILDING CODE 2009
WIND LOADS:
BASIC WIND SPEED: 120MPH
EXPOSURE CATEGORY: C
IMPORTANCE FACTOR: 1
LIVE LOADS:
FLOOR: 100 PSF
ROOF: 50 PSF
LOAD BEARING VALUES OF SOIL:
A BEARING OF 2000 PSF IS ASSUMED
SEISMIC LOADS:
DESIGN CATEGORY: 1
SITE CLASS: D
SEISMIC IMPORTANCE FACTOR: 1.0

RICK SCHOELLKOPF AIA
101 SOUTH MAIN STREET
BERLIN, MD. 21811
410-641-1611
I certify that these documents were prepared by me and am a duly licensed Architect under the laws of the State of Maryland.
Licensed # MD 9260

RICK SCHOELLKOPF AIA

STEPHEN J. KANSAK Inc.
stephenkansak.com
P.O. BOX 620
OCEAN CITY, MD.
410.213.8314
FAX 410.632.2147
EMAIL stevesplans@aol.com

CHRIST THE SAVIOR
ORTHODOX CHURCH
10315 CAREY ROAD
BERLIN, MD. 21811
LOT 5 TAX MAP 20 PARCEL 335

ELEVATIONS

DATE
01/06/12

NOTE:
These drawings do not include indications of necessary components for
the protection of life and property against fire, such as required by the
Occupational Safety and Health Act and all rules and regulations thereunder
and by all applicable codes, ordinances, regulations and requirements of the
Government. It shall be the contractor's responsibility for compliance thereto.
CODES:
All work on the project shall be done in accordance with all applicable
building codes, ordinances, regulations and any additional requirements so
published by the authority having jurisdiction over the proposed work.
PERMITTING:
Permitting shall be the responsibility of the architect, engineer, designer, general
contractor, zoning and fire. It shall be the contractors responsibility to conform
to all codes applicable to this project.
VERIFICATION:
The contractor shall verify and field check all dimensions and conditions
prior to the start of any work and shall revise all drawings and/or specifications
in any condition may affect work and/or specification prior to the
start of any work. Failure to report such conditions or discrepancies, or to
make revisions in the drawings and/or specifications, shall not constitute a claim
by the contractor(s) for any additional expense made necessary by reason of later
interpretation of the drawings and/or specifications.

A-1

SHEET 1 OF 4


CODE ANALYSIS:
2009 INTERNATIONAL BUILDING CODE
2006 INTERNATIONAL ENERGY CODE
2006 NFPA 101 LIFE SAFETY CODE,
MARYLAND ACCESSIBILITY CODE

USE GROUP: A-3
DESIGN LOADS: INTERNATIONAL BUILDING CODE 2009
WIND LOADS:
BASIC WIND SPEED: 120MPH
EXPOSURE CATEGORY: C
IMPORTANCE FACTOR: 1
LIVE LOADS:
FLOOR: 100 PSF
ROOF: 50 PSF
LOAD BEARING VALUES OF SOIL:
A BEARING OF 2000 PSF IS ASSUMED
SEISMIC LOADS:
DESIGN CATEGORY: 1
SITE CLASS: D
SEISMIC IMPORTANCE FACTOR: 1.0


RICK SCHOELLKOPF AIA
101 SOUTH MAIN STREET
BERLIN, MD. 21811
410-641-1611
I certify that these
documents were prepared or
approved by me and I am a
duly licensed Architect
under the laws of the
State of Maryland.
Licensed # MD 9260

RICK SCHOELLKOPF AIA


STEPHEN J. KANSAK Inc.
stephenkansak.com
P.O. BOX 620
OCEAN CITY, MD.
410/213-8314
FAX 410/632-2147
EMAIL stevesplans@aol.com



1 NORTH ELEVATION
A-2 3/16" = 1'



2 NORTH ELEVATION CHAPEL
A-2 3/16" = 1'



3 SOUTH ELEVATION FELLOWSHIP HALL
A-2 3/16" = 1'



CHRIST THE SAVIOR
ORTHODOX CHURCH
10315 CAREY ROAD
BERLIN, MD. 21811
LOT 5 TAX MAP 20 PARCEL 335

ELEVATIONS

DATE
01/06/12

A-2

SHEET 2 OF 4